


# Common Hydraulic Fracturing Fluid Components



Compound	Purpose	Common application
<b>Acids</b>	Helps dissolve minerals and initiate fissure in rock (pre-fracture)	Swimming pool cleaner
<b>Sodium Chloride</b>	Allows a delayed breakdown of the gel polymer chains	Table salt
<b>Polyacrylamide</b>	Minimizes the friction between fluid and pipe	Water treatment, soil conditioner
<b>Ethylene Glycol</b>	Prevents scale deposits in the pipe	Automotive anti-freeze, deicing agent, household cleaners
<b>Borate Salts</b>	Maintains fluid viscosity as temperature increases	Laundry detergent, hard soap, cosmetics
<b>Sodium/Potassium Carbonate</b>	Maintains effectiveness of other components, such as crosslinkers	Washing soda, detergent, soap, water softener, glass, ceramics
<b>Glutaraldehyde</b>	Eliminates bacteria in the water	Disinfectant, sterilization of medical and dental equipment
<b>Guar Gum</b>	Thickens the water to suspend the sand	Thickener in cosmetics, baked goods, ice cream, toothpaste, sauces
<b>Citric Acid</b>	Prevents precipitation of metal oxides	Food additive; food and beverages; lemon juice
<b>Isopropanol</b>	Used to increase the viscosity of the fracture fluid	Glass cleaner, antiperspirant, hair coloring



Source: DOE, GWPC: Modern Gas Shale Development in the United States: A Primer (2009).